American POTATO JOURNAL

Official Organ of
The Potato Association of America

VOLUME 48
JANUARY-DECEMBER, 1971

Editor-in-Chief John C. Campbell

Associate Editor
CHARLES E. CUNNINGHAM

THE POTATO ASSOCIATION OF AMERICA

% RUTGERS UNIVERSITY COLLEGE OF AGRICULTURE AND ENVIRONMENTAL SCIENCE

NEW BRUNSWICK, NEW JERSEY 08903

OFFICERS

ROBERT L. PLAISTED, President

PAUL N. MOSHER, President-Elect

ROBERT KUNKEL, Vice President

ROBERT JOHANSEN, Past President

HUGH J. MURPHY, Secretary

JOHN C. CAMPBELL, Treasurer

DIRECTORS

HERMAN TIMM KENNETH KNUTSON
ROBERT MERCER JHN SCHOENEMANN
EDWARD D. JONES

SUSTAINING MEMBERS

STARKS FARMS, INC.	Route 3, Rhinelander, Wisconsin 54501
FRITO-LAY, INC.	.3420 Singleton Blvd., Dallas, Texas 75212
ROHM AND HAAS COMPANY	Philadelphia, Pennsylvania 19105
McCain Foods Limited	East Florenceville, N. B., Canada
CLAUDE BOTKIN Co., INC	316 Haven Drive, Arvin, California 93203
PPG INDUSTRIES, INC., Chemical Division	One Gateway, Pittsburgh, Pa. 15222
PAUL HORN FARMS, INC.	Moorehead, Minnesota 56560
	N. 29th Ave., St. Petersburg, Florida 23713
	Middleport, N. Y. 14105
RYAN POTATO COMPANY	East Grand Forks, Minnesota 56721
THE R. T. FRENCH COMPANY	1 Mustard St., Rochester, N. Y. 14609

INDEX TO VOLUME 48 AUTHOR AND TITLE INDEX

AKELEY, R. V., H. J. MURPHY and R. C. CETAS, Abnaki: A new high yielding AKELEY, R. V., H. J. MURPHY and R. C. CETAS. Abnaki: A new high yielding potato variety resistant to verticillium wilt and leaf roll, 230-233
ALEXANDER, R. L., see MANZER, F. E.
ALLABY, E. S., see DAVIES, H. T.
BAGNALL, R. H., see SINGH, R. P.
BEDFORD, C. L., see POPE, L. R.
BISHOP, JAMES C., see GRIMES, DONALD W.
BIRECKI, M., H. J. BIZEN and H. M. HENDERSON. Effect of culture, storage

and variety on polyphenol oxidase and peroxidase activities in potatoes, 255-261 BIZEN, H. J., see BIRECKI, M. BRETZLOFF, CARL W. Calcium and magnesium distribution in potato tubers,

BRETZLOFF, CARL W. A method for the rapid estimation of glycoalkaloids in

BRETZLOFF, CARL W. A method for the rapid estimation of glycoalkaloids in potato tubers, 158-162
BRETZLOFF, C. W. and JOHN McMENAMIN. Some aspects of potato appearance and texture, III. Sampling tubers for cation analysis, 246-254
CALLBECK, L. C., see JAMES, W. C.
CASTRO, MARLENE D., see HOFF, J. C.
CETAS, R. C., see AKELEY, R. V.
CHOUDHURI, H. C. Spontaneous chromosome aberrations in diploid solanum,

CHRISTENSON, D. R., see DOLL, E. C.
CUNNINGHAM, C. E. Book review: Genetics of the potato, Solanum tuberosum, 137
CUNNINGHAM, HELEN H., MARY V. ZAEHRINGER and WALTER C.
SPARKS. Storage temperature for maintenance of internal quality in Idaho

Russet Burbank potatoes, 320-328
CUNNINGHAM, HELEN H., see ZAEHRINGER, MARY V.
DALLYN, STEWART L. Weed control methods in potatoes, 116-128
DAVIES, H. T. and E. S. ALLABY. The effect of green sprouting on yield of early potatoes, 381-384
DEAN TO BE AND AND THE PROPERTY OF THE PROPERTY

DEAN, P. R., see VOISEY, P. W.
DOLL, E. C., D.R. CHRISTENSON and A. R. WOLCOTT. Potato yields as
releated to nitrate levels in petioles and soils, 105-112
DUNTON, E. M., JR. Fertilizer application methods for Irish potatoes compared,

EATON, G. W., see MAURER, A. R.
ESTRADA-RAMOS, NELSON, see RICHARDSON, DARYL, G.
FINNIE, R. E., see SINGH, R. P.
FITZPATRICK, T. J., see SANFORD, L. L.
FOILES, L. L., see LANDIS, B. J.
FOX, LEE, see LANDIS, B. J.
GORDON, CORRINE C., see SHANDS, W. A.

GRIMES, DONALD W. and JAMES C. BISHOP. The influence of some soil physical properties on potato yields and grade distribution, 414-422

HAARD, NORMAN F. Differential response of cold stored potato tubers to ethylene, 183-186

HARPER, F. R., see NELSON, G. A.

HASTINGS, R. C., H. L. KUCERA and EVERETT TOOL. North Dakota State University leaf "squeezer," 33-34

HAUTALA, E., see WEAVER, M. L.

HAWKINS, ARTHUR and P. M. MILLER. Row treatment of potatoes with systemics for meadow nematode (Pratylenchus penetrans) control, 21-25

HAWKINS, ARTHUR and P. M. MILLER. Row fumigation with Vorlex for control of a meadow nematode (Pratylenchus penetrans) in potatoes, 64-68

HAYNES, F. L., JR., see KUSHMAN, L. J.

HENDERSON, H. M., see BIRECKI, M. HODGSON, W. A., see JAMES, W. C.

HOFF, J. E., C. M. JONES, G. E. WILCOX and MARLENE D. CASTRO. The effect of nitrogen fertilization on the composition of the free amino acid pool of potato tubers, 390-394

HOLSTAD, N., see KUNKEL, R. HUFF, E. R. Tensil properties of potato tubers, 148-157 HUGHES, CHRISTINE, R. C. McCRUM and F. E. MANZER. Protein and esterase electrophoretic patterns of Streptomyces spp. isolated from Maine

potatoes, 206-213
IRITANI, W. M., ERNEST G. TODD and LARRY WELLER. Shearpress determinations of the raw product as a possible tool for quality measurement of potatoes, 359-365

JAMES, W. C., C. S. SHIH, L. C. CALLBECK and W. A. HODGSON. A method

JAMES, W. C., C. S. SHIH, L. C. CALLBECK and W. A. HODGSON, A method for estimating the loss in tuber yield caused by late blight of potato, 457-463

JONES, C. M., see HOFF, J. E.

KLOSTERMAN, H. J., see NELSON, D. C.

KRULICK, S., see ZACHARIUS, R. M.

KUCERA, H. L., see HASTINGS, R. C.

KUNKEL, R., C. D. MOODIE, T. S. RUSSELL and N. HOLSTAD. Soil heterogeneity and potato fertilizer recommendations, 163-172

KUSHMAN, L. J. and F. L. HAYNES, JR. Influence of intercellular space difference due to variety and storage types tuber receifing gravity day matter relation.

ences due to variety and storage upon tuber specific gravity-dry matter relation-173-181

LANDIS, B. J., J. A. ONSAGER, LEE FOX and L. L. FOILES. Chemical control of the seed-corn maggot, Hylemya platura (Meigetn), and seed-piece decay in potato seed pieces, 374-380

LAUGHLIN, W. M. Production and chemical composition of potatoes related to

placement and rate of nitrogen, 1-15
LISK, D. J., see SIECZKA, J. B.
MAAS, E. F. Effect of specific gravity and seed maturity on potato yields in peat soil, 113-115

MANZER, F. E., D. C. MERRIAM and R. L. ALEXANDER. Low volume potato

spraying in Maine, 195-198

MANZER, F. E., see HUGHES, CHRISTINE

MAURER, A. R. and G. W. EATON. Calculation of potato tuber surface area,
82-87

82-87
McCRUM, R. C., see HUGHES, CHRISTINE
McMENAMIN, JOHN, see BRETZLOFF, C. W.
MERRIAM, D. C., see MANZER, F. E.
MILLER, P. M., see HAWKINS, ARTHUR
MOODIE, C. D., see KUNKEL, R.
MURPHY, H. J., see AKELEY, R. V.
MURPHY, HUGH J. Call for papers for Annual Meeting, 69
MURPHY, HUGH J. Minutes of Executive Committee Meetings and Annual Business Meetings, 345-351

ness Meetings, 345-351
NELSON, D. C., R. H. SMITH, H. J. KLOSTERMAN and M. SAYEED QURAISHI. 24-D Residues in tubers; texture and respiration of potatoes in storage, 366-373

NELSON, G. A., W. E. TORFASON and F. R. HARPER. Comparison of inoculation methods on ring rot development in potatoes, 225-229

NYLUND, R. E., D. C. SANDERS and E. QUISUMBING. Chemical weed control in potatoes, 214-221

POPER, V. L., see ROSS, L. R. also SANFORD, L. L. and ZACHARIUS,

R. M. QUISUMBING, E., see NYLUND, R. E. QURAISHI, M. SAYEED, see NELSON, D. C.

REEVE, R. M. One cell: The thin slice of profit, 47-52

REEVE, R. M., M. L. WEAVER and HERMAN TIMM. Anatomy and composi-tional variations within potatoes. IV. Total solids distribution in different cultivars, 269-277

REEVE, R. M., HERMAN TIMM and M. L. WEAVER. Cell size in Russet Burbank potato tubers with various levels of nitrogen and soil moisture ten-

REEVE, R. M., see WEAVER, N. L.
RICHARDSON, DARYL G. and NELSON ESTRADA RAMOS. Evaluation of frost resistant tuber-bearing solanum hybrids, 339-343

ROSS, L. R. and W. L. PORTER. Objective measurement of texture variables in raw and processed french fried potatoes, 329-338

RUSSELL, T. S., see KUNKEL, R.
SANDERS, D. C., see NYLUND, R. E.
SANFORD, L. L., T. J. FITZPATRICK and W. L. PORTER. Selection potential

for tuber total nitrogen and total solids content in a tetraploid breeding popu-

lation, 428-437
SCHIPPERS, P. A. Measurement of black spot susceptibility of potatoes, 71-81
SCHIPPERS, P. A. The influence of storage conditions on various properties of potatoes, 234-245
SCHIPPERS, P. A. The influence of curing conditions on weight loss of potatoes

during storage, 278-286 SCHIPPERS, P. A. The relation between storage conditions and changes in weight

and specific gravity of potatoes, 313-319
SHANDS, W. A., GEDDES W. SIMPSON and CORRINE C. GORDON.
Growth characteristics in studies of population dynamics and biological control

of aphids, 439-449

of aphids, 439-449
SHIH, C. S., see JAMES, W. C.
SIECZKA, J. B. and D. J. LISK. Arsenic residues in red clover, 395-397
SIMPSON, GEDDES W., see SHANDS, W. A.
SINDEN, S. L. Control of potato greening with household detergents, 53-56
SINGH, R. P., R. E. FINNIE and R. H. BAGNALL. Losses due to the potato spindle tuber virus, 262-267
SMITH, R. H., see NELSON, D. C.
SMITTLE, D. A. A comparison and modification of methods of total glycoalkaloid appraises 410-413

analysis, 410-413
SOWOKINOS, J. R. Relationship of sucrose synthetase cleavage activity to the

chemical and physical maturity of Norchip and Kennebec potatoes, 37-46 SPARKS, WALTER C., see CUNNINGHAM, HELEN H. THOMPSON, N. R., see POPE, L. R. TIMM, HERMAN, see REEVE, R. M. TODD, ERNEST G., see ITANI, W. M.

TOOL, EVEETT, see HASTINGS, R. C.
TORAFSON, W. E., see NELSON, G. A.
TURNQUIST, ORRIN C. Production of certified seed potatoes by varieties—1970,
129-134

VOISEY, P. W. and P. R. DEAN. Measurement of consistency of reconstituted instant potato flakes, 88-96 WEAVER, MERLE L. and E. HAUTALA. Leaching of french-fried potato strips,

199-205

WEAVER, M. L., E. HAUTALA and R. M. REEVE. Distribution of oxidase enzymes in potato tubers relative to blackspot susceptibility. II. Peroxidase and

weaver of the protein electroporetic nations of a potato tuber variety, 57-63 stancy of the protein electrohoretic pattern of a potato tuber variety, 57-63 ZAEHRINGER, MARY V. and HELEN H. CUNNINGHAM. Potato extractives:

Sloughing as related to replacement of anions or cations, 385-389
ZAEHRINGER, MARY V., see CUNNINGHAM, HELEN H.
ZIMDAHL, R. L. Weed control research in Colorado potatoes—A review, 423-427

SUBJECT INDEX

Aberrations, chromosome, in diploid solanum, 187

Abnaki: resistant to verticillium wilt and leaf roll, 230

Acrylamide gel electrophoresis, use in distinguishing tuber protein patterns for variety identification, 57

Aerial pesticide spraying for late blight control, 195

Airblast spraying for late blight control, 195

Aldicarb for nematode control, 21 Amino acid pool in potato tubers affected by nitrogen, 390

Analysis for total glycoalkaloids, methods compared, 410 Anatomy and compositional variation, IV total solids distribution, 269

Anions and cations affect sloughing of potato tissue, 385

Anions removed from potato extracts by treatment with Duolite Resin A-4, 385

Aphids, biological control of, 439 Area of tuber surface calculated, 82

Arsenic residues in red clover, 395 Biological control of aphids, 439 Blackspot, resistance to, 295

susceptibility related to peroxidase and catalase enzymes, 16 susceptibility, measurement of, 71

testing for resistance to, 295

Book reviews: American Potato Yearbook, 222

Fungicide and nematicide tests, results of 1970, 70

Genetics of the potato, Solanum tuberosum, 137 Pathogenic root-infecting fungi, 222

Breeding with tetraploid parents to improve total nitrogen and total solids, 428

Broadcast vs. band placed fertilizer for potatoes in Virginia, 26 Burbidge, Arden, honored, 287

Calcium and magnesium distribution in potato tubers, 97

Calcium, magnesium and potassium concentrations in tubers, 246

Calculation of potato tuber surface area, 82

Carbofuran for nematode control, 21 Carbon monoxide in storage, 299

Catalase and peroxidase as related to blackspot, 16

Cation analysis, methods of sampling tubers for, 246

Cations removed from potato extracts, 385

Cell, one: a thin slice of profit, 47

Cell size in Russet Burbank tubers with levels of nitrogen and soil moisture, 450

Certified seed potato production by varieties (U. S. and Canada), 1970, 129 Certification officials and agencies in the U. S., 135

Chemical composition of potatoes as related to nitrogen, 1 Chemical control of seed-corn maggot, Hylemya platura, and seed-piece decay, 374 Chemical maturity related to sucrose synthetase activity, 37

Chemical weed control in potatoes, 116, 214, 423 Chemicals for control of insects, 21, 64, 374, 439

Chip color of Monona and Kennebec from 40 F storage and exposure to ethylene, 183

Chip and dice thickness as related to processing losses, 47

Chromosome aberrations, spontaneous, in diploid solanum, 187 Cold stored potatoes, differential response of, to ethylene, 183

Comparison of inoculation methods on ring rot development in potatoes, 225

Composition of free amino acids in potato tubers affected by nitrogen fertilization, 390

Consistency of reconstituted instant potato flakes measured, 88

Constancy of the protein electrophoretic pattern of a potato tuber variety, 57

Control of aphids, 439, 298

Corn borer in potato, 298

Culture, storage and variety, effect of, on polyphenol oxidase and peroxidase, 255

Curing conditions, influence of, on weight loss during storage, 278

Disc electrophoresis patterns useful in Streptomyces spp. studies, 206

Detergents for control of tuber greening, 53

Differential response of cold stored potatoes to ethylene, 183

Diploid solanum, spontaneous chromosome aberrations in, 187

Diseases: blackspot susceptibility, 16, 71 leaf roll, Abnaki variety resistant to, 230 late blight control, 195 late blight losses, estimating method, 457 ring rot development: inoculation methods compared, 225 seed-piece decay, 374 Streptomyces spp., isolated from Maine potatoes, 206 spindle tuber virus, 262 verticillium wilt: Abnaki variety resistant to, 230 Dry matter-specific gravity relationship as related to intercellular space, 173 Durometer tests of raw tubers, 329 Dynamics, population and studies of aphid control, 439 Early potato yield as affected by green sprouting of seed, 381
Electrophoretic pattern of tubers for variety identification, 57
Enzymes, distribution of oxidase, in tubers relative to blackspot susceptibility, 16
Esterase electrophoretic patterns of Streptomyces spp., 206
Estimating method for yield losses due to late blight, 457 Ethylene treatment of potatoes from storage as related to chip color, 183 Evaluation of frost resistant tuber-bearing solanum hybrids, 339 Extract from potato leaves removed by machine, 33 Fertilizer application methods for Irish potatoes compared, 26 Fertilizer recommendations for potatoes as related to soil heterogeneity, 163 Fertilization with nitrogen as related to composition of free amino acids in tubers, 390 Flakes, instant potato, consistency measured, 88
Free amino acid pool in tubers as affected by nitrogen fertilization, 390 French fried potatoes, objective measurement of, 329
French fried potatoes trips, leaching of, 199
Frozen Potato Products Institute elects officers, 224
Frost resistant tuber-bearing solanum hybrids evaluated, 339
Frutchey, Cecil, obituary, 355
Fumigation with Vorlex for meadow nematode control, 64
Classification in tubers, a method for resid estimation of 158 Glycoalkaloids in tubers, a method for rapid estimation of, 158 Glycoalkaloid analysis, methods of, compared, 410 Grade of potatoes influenced by soil physical properties, 414 Green sprouting of seed, effect of, on yield of early potatoes, 381 Greening of tubers, control of, with household detergents, 53 Growth characteristics of potatoes and biological control of aphids, 439 High solids hybrids for processing absorb less oil, 403 Household detergents for control of tuber greening, 53 Hylema platura, control of, as related to potato seed-piece decay, 374 Insecticides, systemic, for nematode control, 21 Inoculation methods on ring rot development, 225 Instant potato flakes consistency measured, 88 Intercellular space differences as related to variety and storage and specific gravitydry matter relationship, 173 Internal quality of Russet Burbank vs. storage temperature, 320 Irish potato yields as affected by fertilizer placement, 26 Juice removed from potato leaves by machine, 33 Kennebec maturity related to sucrose synthetase activity, 37 Kunkel, Robert, honored, 289 Late blight control with low volume spraying in Maine, 195
Late blight, estimating yield losses due to, 457
Leaching of french-fried potato strips, 199
Low gallonage spraying in Maine, 195 Magnesium distribution in potato tubers measured, 97 Maine, late blight control in, with low volume spraying, 195 Maine, protein and electrophoretic patterns of Streptomyces spp. in, 206 Maturity of Netted Gem seed as related to yields, 113
Meadow nematode (Pratylenchus penetrans) control with systemic insecticides, 21, 64 Measurement of texture variables in raw and french fried potatoes, 329 Method for estimating tuber yield losses due to late blight, 457

Mills, Wilford R., honored, 2293

National Potato Utilization Conference program, 139

Nematode control, 21, 64
Nitrate levels in petioles and soils as related to yields, 105
Nitrogen fertilization, effect of, on composition of free amino acids in tubers, 390
Nitrogen levels, effect of, on tuber cell size, 450
Nitrogen rate and placement related to production and composition of potatoes, 1
Nitrogen, total, breeding for in tetraploids, 428
Norchip maturity related to sucrose synthetase activity, 37
North Dakota "leaf squeezer" for removing juice from potato leaves, 33
Peat soil, effect of specific gravity and maturity of seed on yields in, 113
Peroxidase activity in potatoes, 255
Peroxidase and catalase as related to blackspot, 16
Peru, potato center in, headed by Sawyer, 137
Physical maturity of potatoes related to sucrose synthetase cleavage activity, 37
Placement and rate of nitrogen related to production and chemical composition, 1
Pollution, water, influenced by slicing methods and cell size, 47
Polyphenol oxidase and peroxidase as affected by culture, storage and variety, 255
Potato appearance and texture: III Cation analysis, 246
Potato Association of America, The

o Association of America, The abstracts of papers presented at annual meeting, 295
American Potato Journal back issue sale announced, 310
annual meeting, call for papers for, 35, 69
annual meeting, highlights, 309
annual meeting program, 139
committee members for 1971-1972, 398
constitution and by-laws, 352
honorary life members
Burbidge, Arden, 287
Kunkel, Robert, 289
Mills, Wilford R., 291
Treadway, Robert, 293
information for authors, 30

introduction of president, Robert Plaisted, 344 minutes of meetings, 345

Potato extractives: sloughing as related to replacement of anions or cations, 385
Potato plants, growth of, in studies of aphid control, 439
Potato spraying with low volume applications in Maine, 195
Potato research and promotion act signed, 32
Potato tubers, cell size in Russet Burbank, 450
Pratylenchus penetrans, control with systemic insecticides, 21, 64
Processed french fried potatoes, measurement of, 329
Processed potato flakes, consistency measured, 88
Processing characteristics of Solanum tuberosum-S. stoloniferum hybrids, 403
Processing, general, 47, 88, 183, 199, 329, 403
Processing losses related to thickness of chips and dice, 47
Production and chemical composition of potatoes related to nitrogen, 1
Production of certified seed potatoes—1970, 129
Protein, crude, studies in breeding program, 428
Protein and esterase electrophoretic patterns of Streptomyces spp. isolated from Maine potatoes, 206

Pungo yields as related to fertilizer placement, 26
Quality measurement of potatoes by shear press, 359
Railway cars, new large, promise savings for potato industry, 70
Raw potato, shear press determinations of, 359
Red clover, arsenic residues in, from use of sodium arsenite, 395
Respiration of tubers in storage, following 2,4-D treatment, 366
Ring rot development studied, 225
Row fumigation with Vorlex for meadow nematode control, 64
Row treatments with systemic insecticides for nematode control, 21
Russet Burbank tubers, cell size in, 450, see Varieties
Seed-corn maggot control and seed-piece decay, 374
Seed maturity as related to potato yields in peat soil, 113
Seed-piece decay, control of, 374

Seed potato certification officials and agencies in U. S., 135 Seed potato production in U. S. and Canada, 129 Selection potential for TN and solids in tetraploids, 428 Shear force curves of raw and processed potatoes, 329
Shear press determinations of raw potatoes, a tool for quality measurement, 359 Sloughing as related to replacement of anions or cations, 385 Sodium arsenite related to arsenic in Red Clover, 395 Soil heterogeneity, soil samples and fertilizer recommendations, 163 Soil moisture tensions, effect of, on cell size of Russet Burbank tubers, 450 Soil nitrate levels related to potato yields, 105 Soil physical properties, influence on potato yields and grade, 414 Solanum hybrids, frost resistance in, 339
Solanum tuberosum-S. stoloniferum hybrids with high solids for processing, 403 Solids distribution in six varieties, 269 Solids, total, breeding for, in tetraploids, 428 Specific gravity-dry matter relationship and intercellular space, 173 Specific gravity and maturity of seed as related to potato yields in peat soil, 113 Specific gravity related to storage conditions, 313 Spindle tuber virus, losses due to, 262 Spraying potatoes with low volume sprayers in Maine, 195 Storage conditions, effect on weight changes and specific gravity, 313 Storage conditions influence various properties of potatoes, 234 Storage, effect of, on polyphenol oxidase and peroxidase activity in potatoes, 255 Storage effect of, on tensile strength of tubers, 148 Storage, effect on specific gravity-dry matter relationship, 173 Storage temperature for internal quality of Idaho Russet Burbank potatoes, 320 Storage, weight loss during, 278
Streptomyces spp. isolated in Maine potatoes, 206 Sucrose synthetase activity related to maturity of potatoes, 37 Systemic insecticides for nematode control, 21 Tensile properties of potato tubers, 148
Tetraploid breeding population for increase in TN and total solids, 428 Texture and respiration of potatoes in storage after 2,4-D application, 366
Texture variables, measurement of, in raw and processed french fried potatoes, 329 Total nitrogen and total solids, breeding for, in tetraploids, 428 Total solids distribution in six varieties, 269 Treadway, Robert, honored, 293 Tuber surface area calculated, 82 Tuber yield losses estimated, 457 2,4-D residues in tubers following applications to improve color and tuber size, 366 Unitizing 10-pound bags of potatoes can cut costs, 223 Varieties: Abnaki released, 230 Green Mountain, aphid control in, 439 estimating late blight in, 457 Irish Cobbler, aphid control in, 439 intercellular spaces in, 173 protein content in, 57 Katahdin, aphid control in, 439

estimating late blight in, 457

Irish Cobbler, aphid control in, 439
intercellular spaces in, 173
protein content in, 57

Katahdin, aphid control in, 439
blackspot in, 71
intercellular spaces in, 173
late blight losses estimated in, 457
nematode control in, 21, 64
nitrogen levels related to yields, 105
protein levels in, 57
spindle tuber, losses in, 262
storage studies with, 234, 278, 313
Kennebec, aphid control in, 439
calcium and magnesium distribution in, 97, 246
chip color in, as related to ethylene treatment, 183
fertilizer, reaction to, in Alaska, 1
mechanical properties of, 148
processing, use in, 403
spindle tuber losses in, 262
sucrose levels in, 37

La Chipper, intercellular spaces in, 173 Lenape, intercellular spaces in, 173 Monona, chip color of, 183 Netted Gem seed, quality, as related to yields, 113 Norchip, french fry studies with, 199 sucrose studies with, 37 Norgold Russet, texture of, 359 Norland, polyphenol oxidase and peroxidase studies with, 265 protein studies with, 57 Ona, black leg studies with, 71 Peconic, black leg studies with, 71 Pontiac, polyphenol oxidase and peroxidase studies with, 255 Pungo, fertilizer studies with, 26 intercellular spaces in, 173 Red La Soda, french fry studies with, 199 Red Pontiac, protein studies with, 57 ring rot studies with, 225 2,4-D residues in, 366 Russet Burbank, aphid control studies with, 439 black spot studies with, 16, 71 cell size in tubers of, 450 french fry studies with, 199, 329, 403 mechanical properties of, 148, 359 nitrate levels, effect of, on yields, 105 processing studies with, 403 protein studies with, 57 seed-piece decay studies with, 374 sloughing studies with, 385 spindle tuber studies with, 262 storage studies with, 234, 313, 320 TGA analysis of, 410 Sebago, nitrate levels related to yields of, 105 Superior, fertilizer studies with, 26,390 intercellular spaces in, 173 Various varieties and seedlings, glycoalkaloid content of, 158 total solids distribution in, 269 tuber surface area calculations of, 82 Viking, polyphenol oxidase and peroxidase in, 255 Varieties of seed potatoes certified in the U. S. and Canada, 129 Variety as related to intercellular space differences, 173 Variety effect on polyphenol oxidase and peroxidase in potatoes, 255 Verticillium wilt resistance in Abnaki, 230 Vorlex for meadow nematode control, 64 Virus leafroll, 230 spindle tuber, 262 Weed control methods in potatoes, a review of practices in the United States, 116 Weed control research in Colorado potatoes, 423 Weed control with chemicals, 214 Weight loss in potatoes related to storage and curing conditions, 278, 313 Yield losses due to spindle tuber virus, 262 Yields of early potatoes affected by green sprouting of seed, 381 Yields of potatoes as related to methods of applying fertilizer, 26 Yields of potatoes as related to nitrate levels in petioles and soils, 105 Yields of potatoes influenced by soil physical properties, 414 Yields of potato tubers, estimating method, 457 Yields of Netted Gem as related to seed specific gravity and maturity, 113

ERRATA, VOLUME 48

Page 231, last line, read (7.504 kg/ha); page 232, line 1 of text, read (9,408 kg/ha); line 8, read (46,704 kg/ha); line 10, read (21,728 kg/ha); line 11, read (28,224 kg/ha).

Page 258, table 2, column 3, line 4, read 0.613a not 0613.a; in table 3, column 3, line 2, read 0.482b not 04.82b.